INDEX

Acarapis woodi, 344
Acrobasis nebulella, 504
Adirus trimaculatus, 648–650
Aegeria exitiosa, 246–251, 253
Agrotis c-nigrum, 406
Alfalfa weevil, 330–337, 528, 623–632
Allen, H. W., 504
Amendments, 22
American Association of Economic Entomologists
  Committees, xi
  Executive committee report, 8
  Meetings, list, xii
  Members, list, xiii
  Membership, 30
  Nominations, 32
  Officers, x
  Pacific Slope Branch, proceedings, 517–582
  Proceedings, 1–151, 177–330
  Resolutions, 29
  Secretary, report, 4
  Sections, 24
Anaphoidea luna, 627
Anderson, W. E., 603
Angitia punctoria, 118
Angoumois grain moth, 41–45, 298–307
Anomala kansana, 589–594
  orientalis, 309
Anthonomus grandis, 195–197, 470–480
  eugenii, 645–647
Aphelinus mytilaspidis, 497
Aphids, oil sprays for, 658–660
Aphis sorbi, 417
Apis mellifica, 471–477
Apple blister mite, 567
  leafhopper, 595, 597
Apple-tree borer, round-headed, 383–386
Argentine ant, 603
Armitage, H. M., 554–561
Arsenate of lead, 471–477, 528, 656–658;
Asiatic beetle, 309
Aspidiotus perniciosus, 192–195, 235, 285–289, 497
Attractant chemicals, 87–94
Australian prickly pear problem, 60–64
Autographa biloba, 504

Babcock, H. W., 157
Babcock, K. W., 120–125
Back, E. A., 663
Baerg, W. J., 602
Baker, H., 497
Ball, E. D., 594–600
Barber, G. W., 582–589
Basinger, A. J., 632–639
Bathyplectes corvina, 627
  curculionis, 627
  tristis, 628
Bean weevil, 298–307, 538–548, 632–637
Beattie, R. K., 444
Beet leafhopper, 369–377, 527, 639–645
Berger, E. W., 230
Biological Societies, 18
Biometrical methods, 183–192
Birch leaf miner, 601
Blackman, M. W., 460–470
Blissus leucopterus, 324–329
Blister beetles, 343
Boll weevil losses, 195–197
Bradley, W. G., 45–50, 393–395
Brisley, H. R., 159–343
Britton, W. E., 309, 601, 613
Broadbent, B. M., 386–389
Bromley, S. W., 324–329
Brown-tail moth, 67–76
Bruchus obtectus, 298–307, 538–548, 632–637
  quadrimaculatus, 538–548, 632–637
Buckle, Philip, 163
Burgess, A. F., 180–183
Burke, H. E., 519
Butcher, F. D., 480–486

Cabbage maggot, 95–101
Cacoecia rosana, 51–54
Caenurgia erechtea, 312–319
Caesar, L., 128–132, 158
Caffrey, D. J., 112–117
Calcium arsenate dust, 477–480
Calcium cyanide, 104–106, 160, 230–237, 324–329, 339, 417, 562–567, 602, 667, 668
Calendra discolor, 528–532
California lead cable borer, 519
Callidium sp., 660
Calosoma sycophanta, 72
Campbell, R. C., 562–567, 645–647
Canker-worm, 418
Carbon tetrachloride, 663
Carpocapsa pomonella, 183–192, 265–266
Catchings, T. F., 605
Centeter cinèrea, 77
Cereal insects, 549–553
Chamberlin, T. R., 528, 623–632
Chamberlin, W. J., 660
Champlain, A. B., 415, 601, 648–650
Chandler, S. C., 246–251
Childs, Leroy, 567
Chinch bugs, 324–329
Chinese sericulture, 168
Chittenden, F. H., 418
Chlorine gas, 307
Chortophila brassicae, 95–101
Chrysobothris dentipes, 378, 381
Chrysomphalus aonidum, 386–389, 604
  dictyospermi, 604

Chrysops obsoletus, 47
  pikei, 47
Citrophilus mealybug, 554–561
Citrus spraying, 567
Clausen, C. P., 76–79
Coccid mortality, 604
Cockerell, T. D. A., 160
Codling moth, 183–192, 265–266
  parasite, 602
Colloidal sulfur, 533–538
Compsilura concinnata, 69
Compton, C. C., 222–225
Comstock, J. H., 675
Coniodes plumogeraria, 418
Connecticut insects, 613
  entomologists, 669
Constitution, 664
Contarinia pyrivora, 411
Corkins, C. L., 311
Corn-ear worm, 320–323
Corn root worm, western, 601
Cotton boll weevil, 477–480, 553
Cotton flea, 604
Cotton, P. T., 663
Craighead, E. M., 262–264
Crawford, H. G., 132–141, 158
Crop damage factors, 54–59
Crop Protection Institute, 17
Crossman, S. S., 67–76
Crown gall inspection, 27
Ctenocephalus canis, 230–235
Cutright, C. R., 601
Cutworm outbreak, 567
Cylindrocopturus jatrophae, 526
Cynomys ludovicianus, 339

Danforth, R. E., 416
Davis, J. J., 192–195, 251, 285–289, 329, 440
Dean, G. A., 15
DeLong, D. M., 295–298
DeOng, E. R., 344, 499, 533–538
Derris, 499
Derris elliptica, 499
Diabrotica longicornis, 601
  soror, 160
Diatraea saccharalis, 393–395
Dibrachoides dynastes, 628
Disonycha laevigata, 415
Doane, R. W., 549–553
Dodds, C. T., 504
Dormant spray tests, 285–289
Dosage estimating, 279–285
Drake, C. J., 480–486
Dust dosages, 279–285
Dusting for leaf-hoppers, 262–264
Dusts, protective, 298–307

Eccoptogaster quadrispinosus, 460–740
Echocerus cornutus, 551, 572–577
Ellington, G. W., 41–45
Empoa rosae, 262–264
Empoasca fabae, 595, 598
  maligna, 595, 597
Epicauta corvina, 343
  pardola, 343
Epilachna borealis, 417
Estimating abundance and damage, 180–183
  boll weevil losses, 195–197
  grasshoppers, 197–202
  hessian fly, 202–207
  scale, 192–195
Ethyl acetate, 663
Eulimneria crassifemur, 118
Eupelminus excavatus, 626
Euproctis chrysorrhoea, 67–76
European corn borer, clean-up methods, 141–147
  experimental studies, 120–125
  in Ohio, 125–128
  in Ontario, 128–132
  legislation, 147–149
  migrating habit, 582–589
  parasite introductions, 117–120
  plowing for, 132–147
  quarantine, 149–155
  research projects, 112–117
Euttex tenella, 369–377, 639–645
Exeristes roborator, 119
External Insect Anatomy, 163

Federal Horticultural Board, 437
Felt, E. P., 59, 64–67, 212, 603, 612
Fenton, F. A., 480–486
Fenusa pumila, 601
Fisher, C. K., 549, 632–637
Flanders, S. E., 418, 602
Flaxseed counts, 480–486
Fleas, 230–235
Fleming, W. E., 361–365
Flint, W. P., 213, 260–261
Fly rearing, 486–496
Forage looper, 312
Foreign insect pests, 443
Fracker, S. B., 157
Franklin, H. J., 406
Frost, S. W., 101–103, 262–264

Garden centipede, 520–526
Gardner, T. R., 366–369
Gentner, L. G., 160
Gibson, Arthur, 51–54
Gipsy moth, 180–183, 438
  investigations, 67–76
  parasites, 67–76
  problem, 64–67
Glaser, R. W., 486–496
Glasgow, Hugh, 95–101

Gloyer, W. O., 95–101
Gossard, H. A., 59, 209–211, 265–266
Graham, S. A., 377–383
Grain aphis, 658
Grape leafhopper, 668
Grasshopper baits, 311
Grasshopper damage, 197–202
Greenhouse fumigation, 214–222
  scale insects, 222–225
Guthrie, J. E., 419
Guyton, T. L., 259–260, 307, 415, 601

Habrobracon brevicornis, 119
Hamlin, J. C., 60–64, 447–460
Hartzell, Albert, 107
Hartzell, F. Z., 183–192, 279–285
Haseman, Leonard, 324–329
Hayes, W. P., 589–594
Headlee, T. J., 298–307, 438
Heliothis obsoleta, 320–323
Herbert, F. B., 567–572
Hessian fly, 202–207, 480–486
Hickory bark beetle, 460–470
Hinds, W. E., 213, 230
Holbrook, J. E. R., 408–411
Holcocera iceryaeella, 632–639
Holloway, T. E., 603
Honey bee, 471–477
Horn fly, 496
Horseflies of La., 45–50
Horsfall, J. L., 160
Horticultural inspection, 437
Hough, W. S., 274–278
Houghton gooseberry aphis, 295–298
House fly, 492
Howard, L. O., 12, 157, 213
Huber, L. L., 125–128
Hunter, W. D., 195–197, 604
Hydrocyanic-acid gas, 214–222, 416, 440
Hylemyia antiqua, 87–94
  cilicrura, 87–94
Hyslop, J. A., 177–180, 211

Index Economic Entomology, 21
Inflating larvae, 408–411
Insect Control, Principles of, 163
Insecticide prices, 238–245
International conference, 9
Introduction to Entomology, 675
Ips pini, 378, 381
Itoplectis maculator, 629

Jalysus spinosus, 390–393
Janes, H. A., 366–369
Japanese beetle, 107–111, 361–365
Johannsen, O. A., 383–386
Johnson, J. P., 361–365
Jones, D. W., 117–120
Jones, T. H., 45–50, 393–395
Jones, W. W., 345
Journal Advisory Board, 31
  circulation agent, report, 6

King, J. L., 76–79
Kirkpatrick, A. F., 567

Lacroix, D. S., 406
Lane, M. C., 578–582
Langford, G. S., 602
Larrimer, W. H., 202–207
Larson, A. O., 549, 632–637
Laspeyresia molesta, 259–260, 415
Lathrop, F. H., 107, 252, 290–295
Leach, B. R., 361–365
Lead arsenate, 656–658
Lead boring beetle, 660
Leafhopper names, 594–600
Lepidosaphes ulmi, 497
Lepyronia quadrangularis, 602
Lime-sulfur spray, 656–658
Lockwood, Stewart, 197–202
Lovett, A. L., 421, 501
Lubricating oil emulsion, 222–225, 386–389
Lygus elisus, 562
Lyperosia irritans, 496

MacGillivray, A. D., 163
Macrobasis longicollis, 343
  unicolor, 159
Manual of tree and shrub insects, 612
Marcovitch, S., 601
Marlatt, C. L., 207–209, 437
Mathewson, A. A., 295–298
McAtee, W. L., 414
McBride, O. C., 658–660
McColloch, J. W., 320–323, 589
McGregor, E. A., 562
McLaine, L. S., 147–149
Mealybug, citrophilus, 554–561
Mercuric chloride, 95–101
Metachroma interruptum, 260–261
Microgaster tibialis, 119
Mocis repanda, 401–406
Monochamus scutellatus, 378, 380, 381
Moore, Wm., 104–106
Mosher, F. H., 408–411
Mullen insects, 414
Musca domestica, 492
Myzus houghtonensis, 295–298

Naphthalene whitewash, 290
National Research Council, 14
Necremnus leucarthos, 629
Neiswander, C. R., 125–128
Nematode control, 225–229
Nickels, C. B., 477–480
Nomenclature, 19
Northeastern entomologists, 419, 607

Notoxus anchora, 159
Nursery inspection, uniform, 445
stock fumigation, 440

Oak girdler, 159
Ochromeigenia ormioides, 77, 78
Ochrosidia immaculata, 366, 369
Oecanthus sp., 660
Oil sprays, 658–660
O'Kane, W. C., 155
Olney, A. J., 650–656
Oncideres quercus, 159
Onion maggot, 87–94
Oriental fruit moth, 259–260, 415
Oyster shell scale, 497

Paradichlorobenzene, 246–251, 253–259, 292
Parasa lorquini, 668
Paratetranychus pilosus, 101–103
Parks, T. H., 141–147
Parrott, P. J., 266–274
Peach borer, 246–259
Pear midge, 411
Pecan case bearer, 504
Peppers, Anthonomus on, 645–647
Peridesmia phytonomi, 625
Peterson, Alvah, 87–94, 252
Phillips, E. F., 345
Phipps, C. R., 390–393
Phytonomus grandis thurberiae, 554
posticus, 330–337, 623–632
Phytophaga destructor, 202–207, 480–486
Plant quarantine, 444
Pocket gopher, 342
Policy Committee, 16
Popillia japonica, parasites, 76–79, 107–111, 365
Porthetria dispar, 64–76, 180–183, 438
Potato leafhopper, 595, 598
Pioneering in Economic Entomology, 34–41
Prairie dog, 339
Preventative entomology, 519
Prickly pear control, 447–46
insects, 458
problems, 60–64
Prosena siberita, 78
Prospaltella sp., 602
perniciosi, 498
Prune root borer, 290–295
Psallus seriatus, 604
Pseudaonidia duplex, 214, 604
Pseudococcus gahani, 554–561
Pulex irritans, 230–235
Pyrameis cardui, 601
Pyrausta ainsliei, 418
nubilalis, 112–155, 582–589

Quanjer, H. M., 14
Quarantine, plant, 444
Quayle, H. J., 668

Rainfall, hickory bark beetle, 460–470
Readio, P. A., 80–86
Recurvaria nanella, 601
Red spider, 101–103, 533–538
Robinson, R. H., 396–400
Rocky Mountain Conference, 170, 606
Rontgen tube, 662
Rose leafhopper, 262–264, 595, 596
Rosy apple aphis, 417
Ruggles, A. G., 34–41

Safro, V. I., 238–245, 667
San Jose scale, 192–195, 235, 285–289, 497
Sanninoidea opalescens, 290–295
Saperda candida, 383–386
Sasscer, E. R., 214–222, 443
Satin moth, 76
Scale parasitism, 497
Scirtothrips citri, 345
Scutigerella immaculata, 520–526
Seed-corn maggot, 87–94
Sericulture, 168
Severin, H. H. P., 369–377, 527, 639–645
Shedd, O. M., 650–656
Shepherd, David, 572–577
Siegler, E. H., 497
Simmons, Perez, 41–45, 417
Sinea diadema, 80–86
Siphocoryne avenae, 658
Sitotroga cerealella, 41–45, 298–307
Skim milk, 396–400
Smartweed borer, 418
Smulyan, M. T., 337
Smith, H. S., 519
Smith, L. B., 107–111
Smith, M. R., 604
Smith, R. C., 312–319
Smith, R. H , 528
Snapp, O. I., 253–259
Snow, S. J., 567
Sodium arsenite, 311
flouride, 343
Sphenophorus discolor, 528–532
Spintherus sp., 626
Spittle insect, 602
Spotted cutworm, 406
Spray injury, 267, 274
stimulation, 567–572
Sprays, combination, 656–658
Spreader tests, 274–278
Squash beetle, 417
pest, 176
Stable fly 494
Statistical methods, 177–180
Stearns, L. A., 274–278

Stilpnotia salicis, 76
Stilt-bug, 390–393
Strategus antaeus, 601
Streeter, L. R., 656–658
Striped grass looper, 401–406
Strong, L. A., 437
Sugar cane borers, 393–395
Sulfur compounds, 107
Sullivan, K. C., 230–237, 658–660

Tabanidae of La., 45–50
Tabanus americanus, 47
  benedictus, 47
  cymatophorus, 47
  lineola, 47
  melanocerus, 48
  mexicanus, 48
  venustus, 48
Tarantula, 668
Temperature and borers, 377–383
Tetrastichus incertus, 628
Thurberia boll weevil, 553
Thurberiphaga diffusa, 554
Tietz, H. M., 471–477
Tiphia parasitism, 366–369
Tobacco dust, 656–658
  solutions, 650–656
Trask, Victor, 290–295
Tree and shrub insects, manual, 612
Tree crickets, 661
Treherne, R. C., 157, 506
Tropical Plant Research Foundation, 26
Tule bill bug, 528–532
Turner, W. B., 528–532
Typhlocyba comes, 668
  rosea, 595, 596

Utetheisa bella, 337

Vespa infernalis, 602
Vickery, R. A., 401–406
Vorhies, C. T., 526, 553

Wade, Otis, 339
Wagoner, C. C., 417
Wakeland, Claude, 330–337
Wardle, R. A., 163
Watson, J. R., 225–229
Webber, R. T., 337
Webster, R. L., 54–59, 212
Wehrle, L. P., 411
Weigel, C. A., 214–222, 386–389
Wester, P. J., 668
Whitcomb, W. D., 605
White, L. T. W., 499
Wireworm rearing, 578–582
Wireworms, 160, 562–567, 602
Wohlfartia vigil, 603
Woodpeckers, 418
Worthley, L. H., 149–155
Wymore, F. H., 520–526

Yaghi, N., 662
Yothers, M. A., 661
Yothers, W. W., 668

Zenillia roseanae, 118